

# Art-Line

Absolutely Brilliant – Temperature control was never so good



**HEIMEIER**

Pressurisation & Water Quality › Balancing & Control › Thermostatic Control











ENGINEERING ADVANTAGE

## > 16 unique decors for individualists

### Description


Thermostatic heads with a completely new look – the unique Art-Line from HEIMEIER makes it possible. With the help of a novel, high-quality printing process, breathtakingly attractive views of the radiator which lend an artistic accent to the living area can now be realised – great news for individualists who really appreciate something special. The Art-Line starts off with 16 different decors. From "brushed ruby" to "amber", there's something for every taste. These 16 styles are available with the Art-Line for the DX and VDX heads, valve covers (thermostatic valve bodies, lockshield valves, Multilux) as well as for various Multibox editions. Art-Line! Temperature control has never been so appealing.

## > Art-Line decors in overview

	<b>Description</b> Brushed navy P307C-392		<b>Description</b> Broken glass alpine white 7KCK-062
	<b>Description</b> Brushed ruby 3020-392		<b>Description</b> Broken glass ivory 1013-031
	<b>Description</b> Brushed edelweiss 7KCK-360		<b>Description</b> Granite Blue Black 9005-252
	<b>Description</b> Carbon fine black silver 9005-254		<b>Description</b> Granite Imperial White 7KCK-252
	<b>Description</b> Carbon edelweiss 7KCK-143F		<b>Description</b> Marble Oriental Grey 7KCK-283A
	<b>Description</b> Carbon alpine white 7KCK-143C		<b>Description</b> Amber 1001-220
	<b>Description</b> Carbon black silver 9005-244		<b>Description</b> Walnut glossy 8024-193A
	<b>Description</b> Carbon stainless steel 9006-216B		<b>Description</b> Walnut matt 8024-97G11

## > Decor overview

---

**P307C-392****3020-392****7KCK-360****9005-254****7KCK-143F****7KCK-143C****9005-244****9006-216B****7KCK-062****1013-031****9005-252****7KCK-252****8024-193A****8024-97G11****7KCK-283A****1001-220****7KCK-062****9005-254**


## > Thermostatic head DX

### Description

Liquid-filled thermostat. High pressure power, lowest hysteresis, optimal closing time. Stable control behavior even in the case of small calculated p-band variation (<1K). Meet all requirements of the German EnEV and DIN V 4701-10. Reduced size in length and diameter. Designed to be mounted on all HEIMEIER thermostatic bodies and radiators with integrated valves which have an M 30 x 1.5 thermostatic insert.



## > Article numbers



### Decor

Brushed navy  
 Brushed ruby  
 Brushed edelweiss  
 Carbon fine black silver  
 Carbon edelweiss  
 Carbon alpine white  
 Carbon black silver  
 Carbon stainless steel  
 Broken glass alpine white  
 Broken glass ivory  
 Granite blue black  
 Granite Imperial White  
 Marble Oriental Grey  
 Amber  
 Walnut glossy  
 Walnut matt

### Article No

6700-01.900  
 6700-02.900  
 6700-03.900  
 6700-04.900  
 6700-05.900  
 6700-06.900  
 6700-07.900  
 6700-08.900  
 6700-09.900  
 6700-10.900  
 6700-11.900  
 6700-12.900  
 6700-13.900  
 6700-14.900  
 6700-15.900  
 6700-16.900


## > Thermostatic head VDX

### Description

The HEIMEIER thermostatic head VDX combines perfected technology with contemporary design. It has been specially designed for installation on radiators with integrated valves with M 30 x 1.5 connecting threads on the thermostatic insert. Its new construction blends harmoniously with the radiator, creating a single integrated unit. Liquid-filled thermostat. High pressure power, lowest hysteresis, optimal closing time. Stable control behavior even in the case of small calculated p-band variation (<1K). Meet all requirements of the German EnEV and DIN V 4701-10.



## > Article numbers



### Decor

Brushed navy  
Brushed ruby  
Brushed edelweiss  
Carbon fine black silver  
Carbon edelweiss  
Carbon alpine white  
Carbon black silver  
Carbon stainless steel  
Broken glass alpine white  
Broken glass ivory  
Granite blue black  
Granite Imperial White  
Marble Oriental Grey  
Amber  
Walnut glossy  
Walnut matt


### Article No

6740-01.900  
6740-02.900  
6740-03.900  
6740-04.900  
6740-05.900  
6740-06.900  
6740-07.900  
6740-08.900  
6740-09.900  
6740-10.900  
6740-11.900  
6740-12.900  
6740-13.900  
6740-14.900  
6740-15.900  
6740-16.900


## > Cover for Multilux valves

### Description

Made of plastic. For angle and straight forms.



## > Article numbers



### Decor

Brushed navy  
 Brushed ruby  
 Brushed edelweiss  
 Carbon fine black silver  
 Carbon edelweiss  
 Carbon alpine white  
 Carbon black silver  
 Carbon stainless steel  
 Broken glass alpine white  
 Broken glass ivory  
 Granite blue black  
 Granite Imperial White  
 Marble Oriental Grey  
 Amber  
 Walnut glossy  
 Walnut matt

### Article No

3850-01.900  
 3850-02.900  
 3850-03.900  
 3850-04.900  
 3850-05.900  
 3850-06.900  
 3850-07.900  
 3850-08.900  
 3850-09.900  
 3850-10.900  
 3850-11.900  
 3850-12.900  
 3850-13.900  
 3850-14.900  
 3850-15.900  
 3850-16.900

## > Cover for thermostatic valve bodies


### Description

HEIMEIER cover for thermostatic valve bodies, angle, DN 15 (1/2"), 2-part, plastic.

HEIMEIER cover for thermostatic valve bodies, straight, DN 15 (1/2"), 2-part, plastic.



## > Article numbers




### Decor

### Article No

#### Angle

Brushed navy	1361-01.900
Brushed ruby	1361-02.900
Brushed edelweiss	1361-03.900
Carbon fine black silver	1361-04.900
Carbon edelweiss	1361-05.900
Carbon alpine white	1361-06.900
Carbon black silver	1361-07.900
Carbon stainless steel	1361-08.900
Broken glass alpine white	1361-09.900
Broken glass ivory	1361-10.900
Granite blue black	1361-11.900
Granite Imperial White	1361-12.900
Marble Oriental Grey	1361-13.900
Amber	1361-14.900
Walnut glossy	1361-15.900
Walnut matt	1361-16.900



### Decor

### Article No

#### Straight


Brushed navy	1362-01.900
Brushed ruby	1362-02.900
Brushed edelweiss	1362-03.900
Carbon fine black silver	1362-04.900
Carbon edelweiss	1362-05.900
Carbon alpine white	1362-06.900
Carbon black silver	1362-07.900
Carbon stainless steel	1362-08.900
Broken glass alpine white	1362-09.900
Broken glass ivory	1362-10.900
Granite blue black	1362-11.900
Granite Imperial White	1362-12.900
Marble Oriental Grey	1362-13.900
Amber	1362-14.900
Walnut glossy	1362-15.900
Walnut matt	1362-16.900

## > Cover for lockshields Regulux/Regutec

### Description

HEIMEIER cover for lockshields Regulux and Regutec, angle, DN 15 (1/2"), 2-part, plastic.

HEIMEIER cover for lockshields Regulux and Regutec, straight, DN 15 (1/2"), 2-part, plastic.



## > Article numbers



### Decor

#### Angle

Brushed navy	1367-01.900
Brushed ruby	1367-02.900
Brushed edelweiss	1367-03.900
Carbon fine black silver	1367-04.900
Carbon edelweiss	1367-05.900
Carbon alpine white	1367-06.900
Carbon black silver	1367-07.900
Carbon stainless steel	1367-08.900
Broken glass alpine white	1367-09.900
Broken glass ivory	1367-10.900
Granite blue black	1367-11.900
Granite Imperial White	1367-12.900
Marble Oriental Grey	1367-13.900
Amber	1367-14.900
Walnut glossy	1367-15.900
Walnut matt	1367-16.900



### Decor

#### Straight

Brushed navy	1366-01.900
Brushed ruby	1366-02.900
Brushed edelweiss	1366-03.900
Carbon fine black silver	1366-04.900
Carbon edelweiss	1366-05.900
Carbon alpine white	1366-06.900
Carbon black silver	1366-07.900
Carbon stainless steel	1366-08.900
Broken glass alpine white	1366-09.900
Broken glass ivory	1366-10.900
Granite blue black	1366-11.900
Granite Imperial White	1366-12.900
Marble Oriental Grey	1366-13.900
Amber	1366-14.900
Walnut glossy	1366-15.900
Walnut matt	1366-16.900




## Multibox RTL

### Description

HEIMEIER Multibox RTL flush box with frame, cover plate and fixing bars, for controlling, for instance, floor heating systems without auxiliary power. For maximum limitation of the return temperature with return temperature limiter of, for instance, combined floor/radiator heating systems. All models optionally with cover and visible graduation cap in white RAL 9016 or chrome-plated. The flush box has an overall depth of 60 mm. Flexible mounting thanks to variable spacing between flush box and cover of up to 30 mm. The cover can compensate for slanted mounting of the flush box of up to 6° on each side. Return Temperature Limiter (RTL) with expanding substance-filled thermostat. Cue number 1-5. Temperature range 10° C - 50° C. Body made of gunmetal. Thermostatic inserts with stainless steel spindle and double O-ring seal. Outer O-ring can be replaced without system drainage. All models are equipped with a venting valve. Pipe-side G 3/4 adaptor with cone suitable for compression fittings for plastic, copper, precision steel and multi-layer pipe. For HEIMEIER valves, only use the corresponding, designated HEIMEIER compression fittings (designation e.g. 15 THE).



### Article numbers



#### Decor

Brushed navy  
Brushed ruby  
Brushed edelweiss  
Carbon fine black silver  
Carbon edelweiss  
Carbon alpine white  
Carbon black silver  
Carbon stainless steel  
Broken glass alpine white  
Broken glass ivory  
Granite blue black  
Granite Imperial White  
Marble Oriental Grey  
Amber  
Walnut glossy  
Walnut matt

#### Article No

9304-01.900  
9304-02.900  
9304-03.900  
9304-04.900  
9304-05.900  
9304-06.900  
9304-07.900  
9304-08.900  
9304-09.900  
9304-10.900  
9304-11.900  
9304-12.900  
9304-13.900  
9304-14.900  
9304-15.900  
9304-16.900

## > Multibox K-RTL


### Description

HEIMEIER Multibox K-RTL flush box with frame, cover plate and fixing bars, for controlling, for instance, floor heating systems without auxiliary power. For the individual room temperature control and maximum limitation of the return temperature with thermostatic valve and return temperature limiter of, for instance, combined floor/radiator heating systems. All models optionally with cover and visible graduation cap in white RAL 9016 or chrome-plated. The flush box has an overall depth of 60 mm.

Flexible mounting thanks to variable spacing between flush box and cover of up to 30 mm. The cover can compensate for slanted mounting of the flush box of up to 6° on each side. Thermostatic head K with liquid-filled thermostat. High actuating power, minimum hysteresis, optimum shutting time. Stable control properties even with small design control differences (<1 K). Meets EnEV and/or DIN V 4701-10. Cue number 1-5. Anti-freeze protection. Temperature range 6° C - 28° C. Return Temperature Limiter (RTL) with expanding substance-filled thermostat. Cue number 1-5. Temperature range 10° C - 50° C. Body made of gunmetal. Thermostatic inserts with stainless steel spindle and double O-ring seal. Outer O-ring can be replaced without system drainage. All models are equipped with a venting valve. Pipe-side G 3/4 adaptor with cone suitable for compression fittings for plastic, copper, precision steel and multi-layer pipe. For HEIMEIER valves, only use the corresponding, designated HEIMEIER compression fittings (designation e.g. 15 THE).



## > Article numbers



### Decor

Brushed navy  
Brushed ruby  
Brushed edelweiss  
Carbon fine black silver  
Carbon edelweiss  
Carbon alpine white  
Carbon black silver  
Carbon stainless steel  
Broken glass alpine white  
Broken glass ivory  
Granite blue black  
Granite Imperial White  
Marble Oriental Grey  
Amber  
Walnut glossy  
Walnut matt

### Article No

9301-01.900  
9301-02.900  
9301-03.900  
9301-04.900  
9301-05.900  
9301-06.900  
9301-07.900  
9301-08.900  
9301-09.900  
9301-10.900  
9301-11.900  
9301-12.900  
9301-13.900  
9301-14.900  
9301-15.900  
9301-16.900



*The products, texts, photographs, graphics and diagrams in this document may be subject to alteration by TA Hydronics without prior notice or reasons being given.*

*For the most up to date information about our products and specifications, please visit [www.tahydraulics.com](http://www.tahydraulics.com).*

9066-18.483 03.2011