

Environmental Declaration

| Företag/Company | | | Datum/Date | Utgåva/Edition | ID/ID No | Sida/Page |
|-----------------------------|--------|----------------------|---------------|----------------|----------------|-----------|
| IMI Hydronic Engineering AB | Tel | +46 (0)513 540 00 | | | | |
| SE-524 80 LJUNG | Fax | +46 (0)513 508 44 | 2019-02-15 | 2 | ED-2200-en | 1(3) |
| | E-mail | info@tahydronics.com | 2013 02 13 | _ | 22 2200 Cm | - (0) |
| Utfärdare/Issuer | Godkän | d/Approved | Titel/Title | | | |
| Maria Ivansson | Chris | stofer Sundqvist | Environmental | Declaration f | or product:FLP | |

Manufacturer

| Namne | IMI Hydronic Engineering AB |
|-----------------|--|
| Adress | SE-524 80 Ljung, Sweden |
| Phone | +46 (0)513-54000 |
| | |
| Managmentsystem | IMI Ljung has a certified quality-, environment-, and safety management system. The management system is also certified due to the Pressure Equipment Directive. The certificates are published at homepage, www.imi-hydronic.com |

General product information

| Designation: | FPL |
|---|--|
| Type of product: | Compression coupling |
| Product approvals acc to: | RISE 0735/99, SINTEF 0766, VTT RTH-00122-14, |
| | ETA VA 1.22/18206, KIWA 66560/03, |
| | DNV GL TAP00000CR |
| Technical service life: | >20 years |
| The product is acc to REACH defined as: | Product |
| ROHS-directive (covers electric- and | Brass alloys which contains <4% Bly(Pb) are |
| electronical equipment): | excluded in ROHS. |

Material composition

Nipple, Distributor and Support Bush (TA720)

| Product componentes | Specification of components composition | CAS-no | Weigth % | Comments |
|---------------------|---|--------|----------|----------|
| Brass | Cu 65%, Pb 2%, Si 0,7%, Zn 32% CAS: Cu 7440-50-8, Pb 7439-92-1, Si -, Zn 7440- 66-6 | | 100 | |

Nut, 1 hot stamped, 2 bar-machined

| Product componentes | Specification of components composition | CAS-no | Weigth % | Comments |
|---------------------|---|--------|----------|----------|
| Brass 1 | Cu 58%, Pb 2%, Zn 40% (CW 617 N) | | 100 | |
| Brass 2 | Cu 58%, Pb 3%, Zn 39% (SS 145170-04) | | 100 | |

Cone and Support Bush (TA721) respectively

| Product | Specification of components | CAS-no | Weigth % | Comments |
|-------------|--------------------------------|--------|----------|--------------|
| componentes | composition | | | |
| Brass | Cu 65%, Pb 2%, Si 0,7%, Zn 32% | | 100 | Cone |
| Steel | | | 100 | Support Bush |









Environmental Declaration

| Företag/Company | | | Datum/Date | Utgåva/Edition | ID/ID No | Sida/Page |
|-----------------------------|--------|----------------------|---------------|----------------|----------------|-----------|
| IMI Hydronic Engineering AB | Tel | +46 (0)513 540 00 | | | | |
| SE-524 80 LJUNG | Fax | +46 (0)513 508 44 | 2019-02-15 | 2 | ED-2200-en | 2 (3) |
| | E-mail | info@tahydronics.com | 2013 02 13 | _ | 22 2200 Cm | 2 (3) |
| Utfärdare/Issuer | Godkän | d/Approved | Titel/Title | | | |
| Marialvansson | Chris | stofer Sundqvist | Environmental | Declaration f | or product:FLP | |

| Other material information | Yes | No | Ev comment |
|---|-----|----|--|
| Product is Chrome plated | Х | | |
| Product is Nicel plated | Х | | |
| Product is galvanized | | х | |
| Is product containing recycled material | X | | Ametal is made of approx 80% recycled raw materials. Splits and scrap from the own production are recycled in the in-house foundry. |

REACH and SVHC

| Information about SVHC (Candidate list) acc. to REACH | | |
|---|---|--|
| The product contains | | |
| Packaging | The packaging is not containing any substances on the Candidate list | |
| X Brass Redmetal | The Cupper alloy are containing > 0,1% Lead (Pb), CAS No 7439-92-1, which was put in the Candidate list 2018-06-27. | |

Packaging

| IMI Hydronic Eng | ineering | AB is list | ted in REPA-register: Reg no 55603362-5601. |
|---------------------------|----------|------------|--|
| Materials | Yes | No | |
| Cardboard/ Paper | Х | | Produced of recycled material at packaging supplier. |
| Plastic (Polyethylene) | X | | |

Manufacturing stage

| Energy consumption | The company has worked with energy savings since 1989. The company has an in-house foundry, there for example heat excess is used for heating of the |
|--------------------|---|
| | offices. |
| Sustainability | The owner of the company, IMI plc, has made an overall commitment to fulfil FN Global Compact. Sustainability work is covered in for example "IMI Code of Conduct", and is reported in the Annual report. See also: https://www.imiplc.com/ The overall commitment from IMI plc, has been introduced through routines at IMI Ljung. |

Transports

| Transport | Transport contractors with pronounced sustainability work are chosen in first |
|-----------------|---|
| contractors | hand. |
| To and from the | Lorry or parcel post. |
| company | The company is working with transports optimization. |









Environmental Declaration

| Företag/Company | | (2) | Datum/Date | Utgåva/Edition | ID/ID No | Sida/Page | |
|-----------------------------|--------|----------------------|---------------|---|------------|-----------|--|
| IMI Hydronic Engineering AB | Tel | +46 (0)513 540 00 | | | | | |
| SE-524 80 LJUNG | Fax | +46 (0)513 508 44 | 2019-02-15 | 2 | ED-2200-en | 3 (3) | |
| | E-mail | info@tahydronics.com | | - | | 0 (0) | |
| Utfärdare/Issuer | Godkär | nd/Approved | Titel/Title | | | | |
| Marialvansson | Chri | stofer Sundqvist | Environmental | Environmental Declaration for product:FLP | | | |

Usage stage

| Storage | No special demands. Normal practice. | | |
|------------------|--|--|--|
| Instructions for | Can be found on homepage: www.imi-hydronic.com | | |
| use | | | |
| Emissions | No emissions, if used according to normal practice and instructions for use. | | |
| Energy | The products are not energy labeled. | | |
| | To lower the energy usage as much as possible, balancing of the products is | | |
| | recommended, | | |

Waste/ Worn out product

| IMI Hydronic Engineering is listed in the REPA-register: Reg no 55603362-5601. | | | | |
|--|-----|----|--|--|
| Materials | Yes | No | | |
| Worn out product can be recycled | Х | | Leave worn out products for recycling. | |
| Card board / Paper | Х | | Recycle packing/paper. | |
| Plastic (Polyethylene) | Х | | Recycle plastic. | |

Waste codes

| Waste | EWC code |
|----------------|----------|
| Brass | 17 04 01 |
| Steel | 17 04 05 |
| Card Board | 15 01 01 |
| Paper(Packing) | 15 01 01 |
| Plastic | 15 01 02 |

CO₂-load

| <u> </u> | | | |
|-----------------------------------|---|--|--|
| CO ₂ -load for foundry | Climate indicator from Swedish Foundry Association (SFA) shows that Swedish foundries has the lowest emission of CO ₂ per tonne casting. | | |
| .ouriary | Touridites rias the lowest emission of CO2 per torne casting. | | |
| castings | The climate indicator from SFA shows for Brass, 71 kg CO ₂ per tonne casting. | | |
| | See also homepage http://www.giuteriforeningen.se/dold-mapp-1/folder/ | | |





