

Environmental Declaration

Företag/Company		45 (0)540 540 00	Datum/Date	Utgåva/Edition	ID/ID No	Sida/Page
IMI Hydronic Engineering AB	Tel	+46 (0)513 540 00				
SE-524 80 LJUNG	Fax	+46 (0)513 508 44	2019-02-12	2	ED-5-007-en	1(3)
	E-n	mail info@tahydronics.com		_	22 0 007 0	- (0)
Utfärdare/Issuer		Godkänd/Approved	Titel/Title			
Marialvansson		Christofer Sundqvist	Environmental STAP DN15-50	Declaration f	or product:	

Manufacturer

Namne	IMI Hydronic Engineering AB
Adress	SE-524 80 Ljung, Sweden
Phone	+46 (0)513-54000
Managmentsystem	IMI Ljung has a certified quality-, environment-, and safety management system. The management system is also certified due to the Pressure Equipment Directive . The certificates are published at homepage, www.imi-hydronic.com

General product information

Designation:	STAP DN15-50
Type of product:	Valve
Product approvals acc to:	AMetal: RISE 4378-86
Technical service life:	>20 years
The product is acc to REACH defined as:	Product
ROHS-directive (covers electric- and electronical equipment):	Brass alloys which contains <4% Bly(Pb) are excluded in ROHS.

Material composition

Product	Specification of components	CAS-no	Weigth %	Comments
componentes	composition			
Brass Ametal	Cu 65%, Zn 32%, Pb 2%, Si 0,7% acc. to EN 1982 CAS: Cu 7440-50-8, Zn 7440-66-6, Pb 7439-92-1, Si -,		91	
Brass	MS SS 5170-04, MS CuZn39Pb3-M		<1	
Castiron				
Stainless steel	X8CrNiS18-9 enligt EN 10088-3 X9CrNi18-8 according to 10088-2		6	
Steel			<1	
Aluminium				
Redmetal				
Plastics	PA 66 + 25 % GF, TPE SEBS PA=PolyAmide GF=GlassFibre TPE SEBS= ThermoPlasticElastomer Styrene-Ethylene- Buthylene-Styrene		1	Ingredient substances are not declared.
Rubber	EPDM, HNBR EPDM=EtenPropenDienMonomer HNBR=HydrogenatedNitrileButadieneRubber		1	Ingredient substances are not declared.
Insulation				
Paint/ Laquer				
Other surface tr.				









Environmental Declaration

Företag/Company			Datum/Date	Utgåva/Edition	ID/ID No	Sida/Page
IMI Hydronic Engineering AB	Tel	+46 (0)513 540 00				
SE-524 80 LJUNG	Fax	+46 (0)513 508 44	2019-02-12	2	ED-5-007-en	2 (3)
	E-mail	info@tahydronics.com		_		_ (0)
Utfärdare/Issuer	Godkän	d/Approved	Titel/Title			
Marialvansson	Chris	stofer Sundqvist	Environmental STAP DN15-50	Declaration f	or product:	

Other material information	Yes	No	Ev comment
Product is Chrome plated		Х	
Product is Nicel plated		Х	
Product is galvanized		Χ	
Is product containing recycled material	X		Ametal is made of approx 80% recycled raw materials. Splits and scrap from the own production are recycled in the in-house foundry.

REACH and SVHC

11211011 01110				
Information about SVHC (Candidate list) acc. to REACH				
The product contains				
Packaging	The packaging is not containing any substances on the Candidate list			
X Brass X Redmetal	The Cupper alloy are containing > 0,1% Lead (Pb), CAS No 7439-92-1, which was put in the Candidate list 2018-06-27.			

Packaging

IMI Hydronic Eng	ineering	AB is li	sted in REPA-register: Reg no 55603362-5601.
iivii Tiyaroriio Erig	,9	, (D 10 II)	oted in TtEl 7t register. Tteg ne deddddd2 ddd f.
Materials	Yes	No	
Cardboard/	Х		Produced of recycled material at packaging supplier.
Paper			
Plastic	Х		
(Polyethylene)			

Manufacturing stage

Energy consumption	The company has worked with energy savings since 1989. The company has an in-house foundry, there for example heat excess is used for heating of the offices.
Sustainability	The owner of the company, IMI plc, has made an overall commitment to fulfil FN Global Compact. Sustainability work is covered in for example "IMI Code of Conduct", and is reported in the Annual report. See also: https://www.imiplc.com/ The overall commitment from IMI plc, has been introduced through routines at IMI Ljung.

Transports

Transport contractors	Transport contractors with pronounced sustainability work are chosen in first hand.
To and from the	Lorry or parcel post.
company	The company is working with transports optimization.









Environmental Declaration

Företag/Company IMI Hydronic Engineering AB	Tel	+46 (0)513 540 00	Datum/Date	Utgåva/Edition	ID/ID No	Sida/Page
SE-524 80 LJUNG	Fax	+46 (0)513 508 44	2019-02-12	2	ED-5-007-en	3 (3)
	E-mail	info@tahydronics.com				- (-)
Utfärdare/Issuer	Godkän	d/Approved	Titel/Title			
Marialvansson	Chris	stofer Sundqvist	Environmenta STAP DN15-50		for product:	

Usage stage

Storage	No special demands. Normal practice.			
Instructions for	Can be found on homepage: www.imi-hydronic.com			
use				
Emissions	No emissions, if used according to normal practice and instructions for use.			
Energy	The products are not energy labeled.			
	To lower the energy usage as much as possible, balancing of the products is			
	recommended,			

Waste/ Worn out product

IMI Hydronic Engineering is listed in the REPA-register: Reg no 55603362-5601.				
Materials	Yes	No		
Worn out product can be recycled	Х		Leave worn out products for recycling.	
Card board / Paper	Х		Recycle packing/paper.	
Plastic (Polyethylene)	Х		Recycle plastic.	

Waste codes

Waste	EWC code
Brass	17 04 01
Steel	17 04 05
Card Board	15 01 01
Paper(Packing)	15 01 01
Plastic	15 01 02

CO₂-load

CO ₂ -load for	Climate indicator from Swedish Foundry Association (SFA) shows that Swedish
foundry castings	foundries has the lowest emission of CO ₂ per tonne casting. The climate indicator from SFA shows for Brass, 71 kg CO ₂ per tonne casting.
	See also homepage http://www.gjuteriforeningen.se/dold-mapp-1/folder/





