

# IMI PNEUMATEX®

## Pieno P connect

*Linea di tubi (con giunzioni) - Tube assembly*

*Linie van buizen (met koppelingen) - Line of pipes (with joints)*

<p><b>Presso P 1/2" (40 mm) - Presso P 1/2" (40 mm)</b></p> <table border="0" style="width: 100%;"> <tr> <td style="width: 50%;"> <p>PT - P 1/2" 10 m PT - P 1/2" 20 m PT - P 1/2" 30 m PT - P 1/2" 40 m PT - P 1/2" 50 m PT - P 1/2" 60 m PT - P 1/2" 70 m PT - P 1/2" 80 m PT - P 1/2" 90 m PT - P 1/2" 100 m</p> </td> <td style="width: 50%; text-align: right;"> <p>PT - P 1/2" 10 m PT - P 1/2" 20 m PT - P 1/2" 30 m PT - P 1/2" 40 m PT - P 1/2" 50 m PT - P 1/2" 60 m PT - P 1/2" 70 m PT - P 1/2" 80 m PT - P 1/2" 90 m PT - P 1/2" 100 m</p> </td> </tr> </table>	<p>PT - P 1/2" 10 m PT - P 1/2" 20 m PT - P 1/2" 30 m PT - P 1/2" 40 m PT - P 1/2" 50 m PT - P 1/2" 60 m PT - P 1/2" 70 m PT - P 1/2" 80 m PT - P 1/2" 90 m PT - P 1/2" 100 m</p>	<p>PT - P 1/2" 10 m PT - P 1/2" 20 m PT - P 1/2" 30 m PT - P 1/2" 40 m PT - P 1/2" 50 m PT - P 1/2" 60 m PT - P 1/2" 70 m PT - P 1/2" 80 m PT - P 1/2" 90 m PT - P 1/2" 100 m</p>	<p><b>Presso P 3/4" (48 mm) - Presso P 3/4" (48 mm)</b></p> <table border="0" style="width: 100%;"> <tr> <td style="width: 50%;"> <p>PT - P 3/4" 10 m PT - P 3/4" 20 m PT - P 3/4" 30 m PT - P 3/4" 40 m PT - P 3/4" 50 m PT - P 3/4" 60 m PT - P 3/4" 70 m PT - P 3/4" 80 m PT - P 3/4" 90 m PT - P 3/4" 100 m</p> </td> <td style="width: 50%; text-align: right;"> <p>PT - P 3/4" 10 m PT - P 3/4" 20 m PT - P 3/4" 30 m PT - P 3/4" 40 m PT - P 3/4" 50 m PT - P 3/4" 60 m PT - P 3/4" 70 m PT - P 3/4" 80 m PT - P 3/4" 90 m PT - P 3/4" 100 m</p> </td> </tr> </table>	<p>PT - P 3/4" 10 m PT - P 3/4" 20 m PT - P 3/4" 30 m PT - P 3/4" 40 m PT - P 3/4" 50 m PT - P 3/4" 60 m PT - P 3/4" 70 m PT - P 3/4" 80 m PT - P 3/4" 90 m PT - P 3/4" 100 m</p>	<p>PT - P 3/4" 10 m PT - P 3/4" 20 m PT - P 3/4" 30 m PT - P 3/4" 40 m PT - P 3/4" 50 m PT - P 3/4" 60 m PT - P 3/4" 70 m PT - P 3/4" 80 m PT - P 3/4" 90 m PT - P 3/4" 100 m</p>
<p>PT - P 1/2" 10 m PT - P 1/2" 20 m PT - P 1/2" 30 m PT - P 1/2" 40 m PT - P 1/2" 50 m PT - P 1/2" 60 m PT - P 1/2" 70 m PT - P 1/2" 80 m PT - P 1/2" 90 m PT - P 1/2" 100 m</p>	<p>PT - P 1/2" 10 m PT - P 1/2" 20 m PT - P 1/2" 30 m PT - P 1/2" 40 m PT - P 1/2" 50 m PT - P 1/2" 60 m PT - P 1/2" 70 m PT - P 1/2" 80 m PT - P 1/2" 90 m PT - P 1/2" 100 m</p>				
<p>PT - P 3/4" 10 m PT - P 3/4" 20 m PT - P 3/4" 30 m PT - P 3/4" 40 m PT - P 3/4" 50 m PT - P 3/4" 60 m PT - P 3/4" 70 m PT - P 3/4" 80 m PT - P 3/4" 90 m PT - P 3/4" 100 m</p>	<p>PT - P 3/4" 10 m PT - P 3/4" 20 m PT - P 3/4" 30 m PT - P 3/4" 40 m PT - P 3/4" 50 m PT - P 3/4" 60 m PT - P 3/4" 70 m PT - P 3/4" 80 m PT - P 3/4" 90 m PT - P 3/4" 100 m</p>				


**Presso P 1" (50 mm) - Presso P 1" (50 mm)**


<p>PT - P 1" 10 m PT - P 1" 20 m PT - P 1" 30 m PT - P 1" 40 m PT - P 1" 50 m PT - P 1" 60 m PT - P 1" 70 m PT - P 1" 80 m PT - P 1" 90 m PT - P 1" 100 m</p>	<p>PT - P 1" 10 m PT - P 1" 20 m PT - P 1" 30 m PT - P 1" 40 m PT - P 1" 50 m PT - P 1" 60 m PT - P 1" 70 m PT - P 1" 80 m PT - P 1" 90 m PT - P 1" 100 m</p>
---	---

**Presso P 1 1/4" (63 mm) - Presso P 1 1/4" (63 mm)**



<p>PT - P 1 1/4" 10 m PT - P 1 1/4" 20 m PT - P 1 1/4" 30 m PT - P 1 1/4" 40 m PT - P 1 1/4" 50 m PT - P 1 1/4" 60 m PT - P 1 1/4" 70 m PT - P 1 1/4" 80 m PT - P 1 1/4" 90 m PT - P 1 1/4" 100 m</p>	<p>PT - P 1 1/4" 10 m PT - P 1 1/4" 20 m PT - P 1 1/4" 30 m PT - P 1 1/4" 40 m PT - P 1 1/4" 50 m PT - P 1 1/4" 60 m PT - P 1 1/4" 70 m PT - P 1 1/4" 80 m PT - P 1 1/4" 90 m PT - P 1 1/4" 100 m</p>
---	---


[illegible]







PI 9.1 / PI 9.2







## PI 9.1 F



## PI 9.1 / PI 9.2







## PI 9.1 F

 Optional


### Pleno PI 9.1F Connect

### Pleno Refill

13500, 16000, 18000, 36000, 48000




S<sub>out</sub>



		Swm	Sout
dpu min	bar	1	0,0
dpu max	bar	9,0	8,0
Ts min	°C	0	0
Ts max	°C	30	30

S<sub>wm</sub>

S<sub>of</sub>




## PI 9.1 / PI 9.2


EN 1717

Pleno PI .1.2 Connect

Pleno Refill  
13500, 16000, 18000, 36000, 48000




### Pleno PI 9.1 + Pleno P AB5R



		Swm	Sout
dpu min	bar	1	0,0
dpu max	bar	9,0	8,0


### Pleno PI 9.2 + Pleno P AB5R



		Swm	Sout
Ts min	°C	0	0
Ts max	°C	30	30




## Pleno PI 9.1 F + Pleno Refill



$tr > 0\text{ °C}$

## Pleno PI 9.1 / 9.2 + ext. tank









### DNe

	DN	DNet
L max 5 m	20	20
L max 20 m	25	25
L max 30 m	32	32

230V/50 Hz  
Pl.1: 10A / 3 x 1,0 mm<sup>2</sup>  
Pl.2: 16A / 3 x 1,5 mm<sup>2</sup>



#1-5







*We reserve the right to introduce technical alterations without previous notice.*



**Hydronic** Engineering

**IMI Hydronic Engineering Switzerland AG**

Mühlerainstrasse 26 • CH-4414 Füllinsdorf • Tel. +41 (0)61 906 26 26

[www.imi-hydronic.com](http://www.imi-hydronic.com)