









[illegible]








The texts, graphics and diagrams in this document may be subject to alteration without prior notice or reason being given. [www.imi-hydronic.com](http://www.imi-hydronic.com)

## Pleno PIX Connect




## Pleno PX








**PIX**




Pleno P BA4 R = Modul A + Modul B




		Swm	Sout
PS	bar	10	10
Ts min	°C	0	0
Ts max	°C	65	65




**PX**



Pleno P BA4 R = Modul A + Modul B




		Swm	Sout
PS	bar	10	10
Ts min	°C	0	0
Ts max	°C	65	65




PX / PIX



**Pleno P BA4R**  
+  
**Pleno Refill**  
+  
**Pleno PIX Connect**



**Pleno P BA4R**  
+  
**Pleno Refill**  
+  
**Pleno PX**









**DNe**

	DN
L max. 2 m	15
L max. 10 m	20
L max. 30 m	25

Pleno PIX Connect  
230V/50/60 Hz  
10A / 3 x 1,0 mm<sup>2</sup>



#1-5



① [www.imi-hydronic.com](http://www.imi-hydronic.com)

*We reserve the right to introduce technical alterations without previous notice.*



**Hydronic** Engineering

**IMI Hydronic Engineering Switzerland AG**

Mühlerainstrasse 26 • CH-4414 Füllinsdorf • Tel. +41 (0)61 906 26 26

[www.imi-hydronic.com](http://www.imi-hydronic.com)