





TU Art.Nr. 7463011




TG Art.Nr. 7463012




TU-E Art.Nr. 7463013




TG-E Art.Nr. 7463014





Transfero TU/TUE





Transfero TG/TGE










Transfero TU



Transfero TUE




Transfero TG





Transfero TG

Transfero TG-E



TG-E Art. No. 7463014




≤ 10 m	DNv ≥	50
≤ 30 m		65


TVI.1 EH(C)





Optional



qwm > 1,300 l/h
 (Refill 16000/36000/48000
 Refill Demin 13500/18000)




qwm < 1,300 l/h
 (Refill 6000/12000
 Refill Demin 2000/4000)




* Sout, Sin1, Sin2:
 Flex connection recommended. Not IMI.

TVI.2 EH(C)



 Optional



max. q_{wm} < 1,300 l/h
(Refill 16000/36000/48000,
Refill Demin 13500/18000)



max. q_{wm} > 1,300 l/h
(Refill 6000/12000,
Refill Demin 2000/4000)




* S_{out}, S_{in1}, S_{in2}:
Flex connection recommended. Not IMI.




$tr \leq 70^{\circ}\text{C}$

TVI.1 EH + Pleno BA4 R + Pleno Refill



$70^{\circ}\text{C} < tr \leq 90^{\circ}\text{C}$


TVI.2 EH + Pleno BA4 R + Pleno Refill






$5^{\circ}\text{C} < tr \leq 70^{\circ}\text{C}$

TVI.2 EHC + Pleno AB5 R + Pleno Refill + Pleno BA4 R



$0^{\circ}\text{C} < tr \leq 5^{\circ}\text{C}$


TVI.1 EHC + Pleno BA4 R



DNe

Table 6: DNe Transfero TVI

		TVI_19.1 H	TVI_19.2 H	TVI_25.1 H	TVI_25.2 H
L max: 5 m	DNe	32	50/40	32	50/40
	Hst m	all	< 128 / ≥ 128	all	< 182 / ≥ 182
	DNd	25	25	25	25
	Hst m	all	all	all	all
L max: 10 m	DNe	40/32	65/50	40/32	65/50
	Hst m	< 88 / ≥ 88	< 87 / ≥ 87	< 136 / ≥ 136	< 136 / ≥ 136
	DNd	25	25	25	25
	Hst m	all	all	all	all
L max: 30 m	DNe	50/40	65/50	50/40	65/50
	Hst m	< 101 / ≥ 101	< 134 / ≥ 134	< 150 / ≥ 150	< 188 / ≥ 188
	DNd	32	32	32	32
	Hst m	all	all	all	all




#1-7



1

3x400 / 1x230V BrainCube PCI




TVI.2

© by IM Hydronic Switzerland AG




2 230 V BrainCube Connect

- P1: Pumpe / pompe / pump
P2: Pumpe / pompe / pump
V1: Überströmventil / Vanne de décharge / Spill valve
V3: Pumpenventil / Vanne de refoulement / Pump valve
WM: Nachspeisventil / Vanne d'appoint d'eau / Water make up valve
V2: Highflow Überströmventil / Vanne de décharge grand débit / Spill valve highflow





F200 Interne Sicherung / fusible interne / internal fuse
P1: 10AT / 250V / 5x20
F201 P2: 10AT / 250V / 5x20



© by MH Hydraulic Switzerland AG




3 BrainCube Connect

SELV (≤ 35 VDC)



- RS485
- Verbund (Gerätekommunikation)
- Fonctionnement combiné
- Master-Slave connection
- Nachspeisung
- Appoint d'eau
- Water make up
- Gebäudeleittechnik GLT
- Gestion technique du bâtiment GTB
- Building control system BCS

© by MH Hydraulic Switzerland AG



❗ w+www.imi-hydronic.com