




Pleno Refill / Refill Demin 2000 - 12000 INSTALL











Pleno Refill Demin

Water hardness		Max. make-up volume for demineralisation [litre]			
°dH	ppm CaCO ₃	Refill 2000	Refill 4000		
4	71	500	1000		
6	107	333	667		
8	142	250	500		
10	178	200	400		
12	214	167	333		
14	249	143	286		
16	285	125	250		
18	320	111	222		
20	356	100	200		
22	392	91	182		
24	427	83	167		
26	463	77	154		
28	498	71	143		
30	534	67	133		
32	570	63	125		
34	605	59	118		
36	641	56	111		




Pleno Refill

Water hardness		Max. make-up volume in liter for									
		°dH (OUT) ≤ 16.8 °dH		°dH (OUT) ≤ 11.2 °dH		°dH (OUT) ≤ 8.4 °dH		°dH (OUT) ≤ 5.6 °dH		°dH (OUT) ≤ 0.3 °dH	
°dH	ppm CaCO ₃	Refill 6000	Refill 12000	Refill 6000	Refill 12000	Refill 6000	Refill 12000	Refill 6000	Refill 12000	Refill 6000	Refill 12000
4	71									1622	3243
6	107							15000	30000	1053	2105
8	142							2500	5000	779	1558
10	178					3750	7500	1364	2727	619	1237
12	214			7500	15000	1667	3333	938	1875	513	1026
14	249			2143	4286	1071	2143	714	1429	438	876
16	285			1250	2500	789	1579	577	1154	382	764
18	320	5000	10000	882	1765	625	1250	484	968	339	678
20	356	1875	3750	682	1364	517	1034	417	833	305	609
22	392	1154	2308	556	1111	441	882	366	732	276	553
24	427	833	1667	469	938	385	769	326	652	253	506
26	463	652	1304	405	811	341	682	294	588	233	467
28	498	536	1071	357	714	306	612	268	536	217	433
30	534	455	909	319	638	278	556	246	492	202	404
32	570	395	789	288	577	254	508	227	455	189	379
34	605	349	698	263	526	234	469	211	423	178	356
36	641	313	625	242	484	217	435	197	395	168	336



Pleno P BA4 + Pleno Refill



8133016 Refill Demin 4000 8133011 Refill 12000 8133015 Refill Demin 2000 8133010 Refill 6000

i www.imi-hydronic.com

We reserve the right to introduce technical alterations without previous notice.

